

**From:** Nancy Widlacki [<mailto:nwidlacki@cityoffairbury.com>]

**Sent:** Monday, October 20, 2014 3:44 PM

**To:** Sand, Allyson

**Subject:** Pleasant Ridge

Allyson,

Please see some comments from our engineer listed below:

I have reviewed the provided Pleasant Ridge Energy Project Emergency Response Plan (ERP) Draft. Overall the document is laid out well and informative. I offer the following comments and recommendations:

- The Spill Prevention Control and Countermeasures Plan (SPCC) mentioned in Section 1.2 of the ERP should be completed and certified in accordance with 40 CFR Part 112 prior to operation. The completed SPCC and ERP along with any amendments and revisions should be communicated and understood by employees and outside departments responding.
- The specific storage location of the Emergency Response Equipment listed in Section 2.5 of the ERP could be described or shown on a site location map for responders.
- Personnel from Offsite Emergency Assistance could be invited to annual training to make sure they are current with the facilities and operations.
- Construction operations and laydown yard could be covered in ERP.

Leroy E. McPherson  
City Superintendent  
City of Fairbury  
815.692.2743  
[www.cityoffairbury.com](http://www.cityoffairbury.com)

---

**From:** Cornillaud, Stephen G. [mailto:Stephen.G.Cornillaud@osfhealthcare.org]  
**Sent:** Friday, November 07, 2014 1:09 PM  
**To:** Sand, Allyson  
**Subject:** Confirmation of ERP receipt

Allison,

Great talking to you this afternoon. This email is to confirm we received your ERP for the Livingston County Illinois wind farm project. We currently have no pressing concerns, but we will be in touch if our further review of the information reveals any issues. We appreciate the courtesy information and we will internally prepare our flight crews regarding your 2015 project.

Regards,

**Steve G. Cornillaud**

Director of Operations  
OSF Aviation, Life Flight  
[www.osflifeflight.org](http://www.osflifeflight.org)  
Cell: 503-708-2360  
Fax: 309-624-2318

=====  
The information in this message is confidential and may be legally privileged. Access to this message by anyone other than the addressee is not authorized. If you are not the intended recipient, or an agent of the intended recipient, any disclosure, copying, or distribution of the message or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. If you have received this message in error, please contact the sender immediately and permanently delete the original e-mail, attachment(s), and any copies.  
=====

-----Original Message-----

From: Jim Hargitt [<mailto:selcas6721@yahoo.com>]

Sent: Friday, November 07, 2014 4:17 PM

To: Sand, Allyson

Subject:

Allison,

We did receive your packet. We are concerned that Ambulance services appear to have been left out of the packet. All fire departments do not provide ambulance service, and at some point we might like to address some concerns that we have.  
Thanks !