

# LIVINGSTON COUNTY HIGHWAY DEPARTMENT

---

Clay A. Metcalf, P.E., *County Engineer*  
Trent C. Ruestman, P.E., *Assist County Engineer*

1705 S. Manlove Street  
Pontiac, Illinois 61764

Ph. (815) 842-1184  
FAX (815) 842-3305

## **Addendum #1 – March 28, 2024**

### **Livingston County Highway Department**

#### **Section 23-08125-02-BR – Prairie Box Culvert Extension**

Summary of Changes: Revised the Porous Granular Embankment (Special) Special Provision

1. Replace Page 7 of the Special Provisions with the attached Page 7.

The Plans, Proposal and Schedule of Prices documents have been updated on the website to include the revisions.

**NOTE: Read receipt or email response will confirm addendum received.**

**POROUS GRANULAR EMBANKMENT (SPECIAL)**

**Description.** This work shall consist of furnishing and placing Porous Granular Embankment Special material as detailed on the plans, according to Section 207 except as modified herein.

**Materials.** The gradation of the porous granular material may be any of the following CA 8 thru CA 18, FA 1 thru FA 4, FA 7 thru FA 9, and FA 20 according to Articles 1003 and 1004.

**Construction.** The porous granular embankment special shall be installed according to Section 207, except that it shall be uncompacted.

**Basis of Payment.** This work will be paid for at the contract unit price per ton for POROUS GRANULAR EMBANKMENT, SPECIAL.

**JOINT UTILITY LOCATING INFORMATION FOR EXCAVATORS**



The Contractor's attention is directed to the fact that there exists within the State of Illinois a Joint Utility Locating Information for Excavators (J.U.L.I.E.) System. Utility companies and municipalities which have gas mains and a number of others are a part of this system.

Instead of the Contractor notifying each individual utility owner that he will be working within the area, it will only be necessary to call the number of the Joint Utility Locating Information for Excavators System which is (800)892-0123 and they will notify all utility companies involved that their respective utility should be located. A minimum of forty-eight hours advance notice is required and the political name of the township where the work is located, as shown on the cover sheet, along with other location information such as land section and quarter section will have to be given.